# 2014 GED® PROGRAM MATH FORMULAS & SYMBOLS

Use this guide to focus on applying, rather than memorizing, formulas and symbols for test questions.

## Mathematics Formula Explanations

This displays formulas relating to geometric measurement and certain algebra concepts and is available on the 2014 GED® test — Mathematical Reasoning.

**Data** mean

Area of a:	
square	$A = s^2$
rectangle	A = lw
parallelogram	A = bh
triangle	$A = \frac{1}{2}bh$
trapezoid	$A = \frac{1}{2}h(b_1 + b_2)$
circle	$A = \pi r^2$

### Perimeter of a:

square	P = 4s
rectangle	P = 2l + 2w
triangle	$P = s_1 + s_2 + s_3$
Circumference of a circle	$C = 2\pi r OR C = \pi d; \pi \approx 3.14$

#### Surface area and volume of a:

	(p = perimeter of base with	area <i>B</i> ; π ≈ 3.14)
sphere	$SA = 4\pi r^2$	$V = \frac{4}{3} \pi r^3$
cone	$SA = \pi rs + \pi r^2$	$V = \frac{1}{3}\pi r^2 h$
pyramid	$SA = \frac{1}{2}ps + B$	$V = \frac{1}{3}Bh$
cylinder	$SA = 2\pi rh + 2\pi r^2$	$V = \pi r^2 h$
right prism	SA = ph + 2B	V = Bh
rectangular prism	SA = 2lw + 2lh + 2wh	V = lwh

median	median is the middle value in an odd number of ordered values of a data set, or the mean of the two middle values in an even number of ordered values in a data set
Algebra	
slope of a line	$m = \frac{y_2 - y_1}{x_2 - x_1}$
slope-intercept for of the equation of a line	-
point-slope form of the equation of a li	
standard form of a quadratic equation	$y = ax^2 + bx + c$
quadratic formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Pythagorean theorem	$a^2 + b^2 = c^2$
simple interest	I = Prt
	( <i>I</i> = interest, <i>P</i> = principal, <i>r</i> = rate, <i>t</i> = time)
distance formula	d = rt
total cost	total cost = (number of units) × (price per unit)

mean is equal to the total of the values of a data set, divided by the number of elements in the data set

# Æ Symbol Tool Explanation

The 2014 GED<sup>®</sup> test on computer contains a tool known as the "Æ Symbol Tool." Use this guide to learn about entering special mathematical symbols into fill-in-the-blank item types.

Symbol	Explanation	Symbol	Explanation	Symbol	Explanation
Π	рі		absolute value	-	minus or negative
f	function	×	multiplication	(	open or left parenthesis
$\geq$	greater than or equal to	÷	division	)	close or right parenthesis
$\leq$	less than or equal to	±	positive or negative	>	greater than
<b>≠</b>	not equal to	$\infty$	infinity	<	less than
2	2 exponent ("squared")		square root	=	equals
3	3 exponent ("cubed")	+	plus or positive		





# **TI-30XS Calculator Reference Sheet**

The calculator reference sheet is provided on most items on the 2014 GED<sup>®</sup> Mathematical Reasoning Mathematical Reasoning test, as well as certain items on the Scientific Reasoning and Social Studies tests. The calculator reference sheet is provided to test-takers in order to demonstrate the functionality of the onscreen calculator, specifically in terms of what order to click the buttons in complex problems, such as order of operations or calculating with fractions.

IETIC	To perform basic arithmetic, enter numbers and operation symbols using the standard order of operations.
BASIC ARITHMETIC	EXAMPLE $8 \times -4 + 7 =$
BASI	8 × • 4 + 7 • The correct answer = -25
S	To calculate with percentages, enter the number, then
PERCENTAGES	EXAMPLE
CEN	<u>40% × 560</u> =
PER	4 0 2nd 0 5 6 0 enter The correct answer = 224
NO	To perform calculations with scientific notation, use the key.
TATIC	EXAMPLE
ON C	$7.8 \times 10^8 - 1.5 \times 10^8 =$
SCIENTIFIC NOTATION	7 . 8 . 8 8 6 6 1 . 5 6 8 enter
S	The correct answer = 63000000
	To perform calculations with fractions, use the formatted in reduced form.
SNOI	EXAMPLE
FRACTIC	$\frac{\frac{2}{9} \times \frac{3}{7}}{\frac{2}{6}} = 2 \qquad 9 \qquad 9 \qquad 1 \qquad 1 \qquad 3 \qquad 7 \qquad 1 \qquad 2 \qquad 2$
	The correct answer = $\frac{2}{21}$

